

ASPEN PRODUCT SHEET



Design: Imago Design R&S Doimo Cucine

CHARACTERISTICS

DOOR THICKNESS:	20/23 mm
CHARACTERISTICS:	INTERIOR FRAMED DOOR
OPENING SYSTEMS:	2
NO. OF FINISHES FOR COLLECTION:	70

PRODUCT DIMENSIONS


Without plinth

	H. GROOVE BASE UNITS	H. TALL UNITS	H. WALL UNITS	STRUCTURE DEPTH
Structure height	40.5	99	24	58/33
	63	138	39	
	81	198	48	
		216	78	
		240	102	
			120	

CHARACTERISTICS

DOOR FRAMES

The internal framed of doors is made of aluminium, a totally environmentally friendly material that grants an overall effect of lightness combined with considerable resistance, available in Champagne or black. The framed doors allow the front part to be in different materials, to obtain a wide range of solutions that meet any customer's need.




PANELS

4/6 mm thick panels of the available finishes are fixed to the framed structure.



CABINET FRONT MATERIALS


● SCARCES ●● INSUFFICIENT ●●● SUFFICIENT ●●●● GOOD ●●●●● OPTIMUM



LACQUERED GLASS (SATIN OR GLOSSY)

Fronts in 4 mm extra clear tempered glass, painted with water based paints and mounted on aluminium frames offering excellent scratch resistance.


	SCRATCH RESISTANCE	STAIN RESISTANCE	INALTERABILITY OVER TIME	CLEANING AND MAINTENANCE
SATIN	●●●●●	●●●●●	●●●●●	●●●●●
GLOSSY	●●●●●	●●●●●	●●●●●	●●●●●



FENIX NTM®

A composite of cellulose and cutting edge resins. It is treated with nanotechnologies that ensure it is fingerprint proof, hygienic and soft to the touch. It is resistant to water, impact, rubbing and solvents and easily reparable should it present small scratches.


SCRATCH RESISTANCE	●●●	STAIN RESISTANCE	●●●●●	INALTERABILITY OVER TIME	●●●●●	CLEANING AND MAINTENANCE	●●●●●
--------------------	-----	------------------	-------	--------------------------	-------	--------------------------	-------



FENIX NTA®

A composite of cellulose and cutting edge resins. It is treated with nanotechnologies that ensure it is fingerprint proof, hygienic and soft to the touch. It is resistant to water, impact, rubbing and solvents and easily reparable should it present small scratches.

SCRATCH RESISTANCE	●●●	STAIN RESISTANCE	●●●●●	INALTERABILITY OVER TIME	●●●●●	CLEANING AND MAINTENANCE	●●●●●
--------------------	-----	------------------	-------	--------------------------	-------	--------------------------	-------



WOOD

Wood fibreboard panels, class E1 (low formaldehyde emissions), finished with selected wood veneers and successively painted or thermo-treated.


SCRATCH RESISTANCE	●●●	STAIN RESISTANCE	●●●●●	INALTERABILITY OVER TIME	●●●	CLEANING AND MAINTENANCE	●●●●●
--------------------	-----	------------------	-------	--------------------------	-----	--------------------------	-------



STRATIFICATO HPL

Water repellent particle board panels finished in HPL laminate (both sides) with ABS trim on all four edges. Made by layers of cellulosic fibers impregnated with thermosetting resins and glued together by a high pressure combined with heat (High Pressure Laminate)

SCRATCH RESISTANCE	●●●●●	STAIN RESISTANCE	●●●●●	INALTERABILITY OVER TIME	●●●●●	CLEANING AND MAINTENANCE	●●●●●
--------------------	-------	------------------	-------	--------------------------	-------	--------------------------	-------



GRES

The panels are made by natural rough materials treated with a thermal process that makes them indivisible. 100% ecological.

SCRATCH RESISTANCE	●●●●●	STAIN RESISTANCE	●●●●●	INALTERABILITY OVER TIME	●●●●●	CLEANING AND MAINTENANCE	●●●●●
--------------------	-------	------------------	-------	--------------------------	-------	--------------------------	-------

Possible differences in lacquered or veneered items are not to be considered as production defects. They are due to the natural process of elements exposed to domestic light.


PLINTHS

PLINTH (H. 6 - 8 - 10 - 12 - 13 - 15 cm)

- > PVC plinth made of extruded rigid plastic material. Visible sections coated with decorative motif.
- > Aluminium plinth made of extruded aluminium. Aluminium finish: matt, anodized, champagne, black, stainless-steel and white-painted.
- > Aluminium plinth made of extruded aluminium. Lacquered on 1 side with matt finish.
- > PVC plinth made of extruded rigid plastic material. Coated with wood veneer on the visible side. Painting with acrylics / polyurethane.
- > Veneered plinth made of a panel of wood particles, with minimal formaldehyde emission (class E1 of the UNIEN 13986/2005 standard), veneered and painted like the doors on the visible side.
- > PVC plinth made of extruded rigid plastic material. Concrete finish (thickness 0.7 / 0.9 mm) on the visible surface with fibre-reinforced skim plaster (single-component compound with hydraulic binders and quartziferous aggregates). Surface finish with transparent paint.
- > All versions of plinth include rubber gaskets on the side adhering to the piece of furniture and the floor and (removable)

OPENING SYSTEMS AND MECHANISMS

GRIP RECESS




"C"SHAPED GROOVE

Aluminium grip recess made of drawn aluminium. Aluminium finish: matt, anodized, champagne, black and white-painted. Veneered grip recess made of drawn aluminium, veneered on the visible surface with wood veneer. Painting with acrylics / polyurethane.

Lacquered grip recess made of drawn aluminium. Paint: matt finish. Concrete grip recess made of drawn aluminium with Ecomalta® finish (thickness 0.7 / 0.9 mm) on the visible surface. Surface finish with transparent acrylic paint.

PUSH PULL

Built-in in finish white or grey.



PUSH PULL

HINGES

Made of metal with quick hook galvanic treatment and triple adjustment (vertical, horizontal, depth). With "decelerated closing" mechanism (with the exception of fridge doors).

SPECIAL OPENING MECHANISMS

All mechanisms used for special openings of the door (flap, oblique lift, sliding, folding flap) use components which are tried and tested by the manufacturers.

CUSTOMER SERVICE

ASSISTANCE

Our Company selected its points of sale so that you can contact valid consultants at the time of the completion of your kitchen project and valid technicians at the time of the resolution of any problems that may arise after the purchase. A qualified assistance ensuring the complete safety of our products. If you want to replace or complete the kitchen with other elements or new appliances, please consult your reseller for the definition of your needs and to order what you want. The reseller, who is the spokesperson of our Company and a reference point for purchasers, will help you once again to perfectly meet your need.